



**NEW!!!
LOKE**


CREATE A STADIUM ATMOSPHERE AT HOME WITH EUROSCREEN!

*Hosting a football game party
this season? You may need a bigger
screen for that big game feel.*




Some football games mean more than others - and some of them must be experienced on a big screen!

LOKE



The time has come, your favorite team is going to play the game of the year. You have gathered some of your best friends to share this sacred moment with you. You tell your Draper **SMART HOME (accessories-Wifi box App Control)** device "football mode", the sun shades is going down, and the light is going down to 70 %. Your projector is turning on, Loke is sliding down by the wall – now everything is settled for a fantastic evening. You can almost feel the magic atmosphere in the room, friends, football and LOKE...





LOKE


Create a stadium atmosphere at home!

With a width up to 350 cm either in TabTension or as normal wall/ceiling screen we offer the largest range of fabric options of all our product-series.

You have the option of case color in either white or black and still Loke is offered at the same price. The enhanced bracket technology will simplify the installation and give a flexible adjustment when needed.

The choice of picture-format in combination with a true matt black border finish creates a powerful framework for the projected image.

SCREEN DIMENSIONS



SCREEN SURFACES

Arctiq

Matt white front surface, fibre glass support, black-backed. Gain 1.0.

FlexWhite

Pliable matt white front surface, superb colour rendition, Full HD & 8K compliant. Gain 1.0.

Xpert

White front surface, PVC free. Flame retardant (B1) Excellent surface flatness and colour temp. Gain 1.0.

MOTOR CONTROL

DRAPER-ER MOTOR

Built-in controls

- Draper-ER radio receiver
- Dry contact transmitter (RJ12 connector)

Accessories

- Radio remote controls
- Autolink (App & röst Control)
- Dry contact transmitter
- WiFi-box App-control
- IP-box

INSTALLATION/WIRED MOTOR

Accessories

- Control box (RS232, RF, IR,
- 12V trigger,
- Dry contact transmitter)

STANDARD FORMATS LOKE



The screen format is 1:1.
No black borders.



The screen format is 4:3.
No black borders.



The screen has 5 cm wide black borders. The format of the viewing area is 16:9.



The screen has 5 cm wide black borders. The format of the viewing area is 16:10.



The screen has 5 cm wide black borders. The format of the viewing area is 4:3.

STANDARD FORMATS LOKE TT



The screen format is 1:1.
No black borders.



The screen format is 4:3.
No black borders.



The screen has 5 cm wide black borders. The format of the viewing area is 16:9.



The screen has 5 cm wide black borders. The format of the viewing area is 16:10.




The screen has 5 cm wide black borders. The format of the viewing area is 4:3.



The screen has 5 cm wide black borders. The format of the viewing area is 2:35:1.

LOKE TAB TENSION



SCREEN SURFACES TT

ReAct 3.0

Pliable silver grey front surface, enhances colour contrast in bright light, 8K compliant. Gain 1.0.

FlexRear

Neutral grey rear projection surface. Full HD & 8K compliant. Gain 1.2.

Flex Grey

Pliable Gray front surface, superb colour rendition, 8K compliant. Gain 0.8.

FlexWhite

Pliable matt white front surface, superb colour rendition, 8K compliant. Gain 1.0.

CASE DIMENSIONS

Brackets - Wall/Ceiling

